


FRAME 1GANG BUSCH-ART LINEAR

# Product Environmental Profile

## Environmental Product Declaration



Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"

<b>ORGANIZATION</b>		<b>CONTACT INFORMATION</b>			
Busch-Jaeger Elektro GmbH		pia.denninghoff@de.abb.com			
<b>ADDRESS</b>		<b>WEBSITE</b>			
Freisenbergstrasse 2,58513 Lüdenscheid, Germany		busch-jaeger.com			
<b>STATUS</b>	<b>SECURITY LEVEL</b>	<b>REGISTRATION NUMBER</b>	<b>REV.</b>	<b>LANG.</b>	<b>PAGE</b>
Approved	Public	ABBG-00162-V01.01-EN	1	en	1/9
© Copyright 2023 ABB. All rights reserved.					



# ABB Purpose & Embedding Sustainability

ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow. With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.




## General Information

<b>Reference product</b>	Frame 1gang Busch-art Linear (2CKA001754A4837)
<b>Description of the product</b>	Recycled PC based frame that provide protection and eastetics to 1-gang BJE switch inserts
<b>Functional unit</b>	Protect persons during 20 years against direct contact with live parts of the "rocker switch mechanism", having the following dimensions 85*85*8.6 mm.
<b>Other products covered</b>	

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00162-V01.01-EN	1	en	2/9



# Constituent materials



**Total weight of Reference product**

22.137 g including the product and its packaging  
 13.357 g product only

Plastics as % of weight		Metals as % of weight		Others as % of weight	
Name and CAS number	Weight-%	Name and CAS number	Weight-%	Name and CAS number	Weight-%
Recycled polycarbonate	60.34	-	-	Cardboard	33.03
Polyethylene	7.63	-	-	-	-



## Additional Environmental Information

<b>Manufacturing</b>	Manufactured by Busch-Jaeger Elektro GmbH at the Lüdenscheid factory, ISO 14001 certified.
<b>Distribution</b>	Transport between the last group distribution centre and an average delivery point in the sales area in Germany, Austria and Netherland.
<b>Installation</b>	For the installation of the product, only standard tools are needed. The installation stage includes the disposal of the packaging and the transport of packaging material to disposal.
<b>Use</b>	The product does not require special maintenance operations
<b>End of life</b>	The end-of-life stage is modelled according to PCR-ed4-EN-2021 09 06 and IEC/TR 62635.
<b>Benefits and loads beyond the system boundaries</b>	n.a.



## Environmental impacts


<b>Reference lifetime</b>	20 years
<b>Product category</b>	Other equipments
<b>Installation elements</b>	No additional elements needed during installation
<b>Use scenario</b>	Reference life time (RLT): 20 years
<b>Geographical representativeness</b>	Manufacturing: Germany. Distribution, installation, use and end of life : Germany, Austria, Netherland.
<b>Technological representativeness</b>	Technological representativeness : manufacturing of lightswitch rocker representative of the year 2023"
<b>Software and database used</b>	SimaPro 9.4, ecoinvent 3.8, methodology PEF3.0

### Energy model used

<b>Manufacturing</b>	Energy mix of medium voltage, solar and CHP for DE.
<b>Installation</b>	Data used to model installation element are representative of european electricity mix.
<b>Use</b>	n.a.
<b>End of life</b>	Data used to model installation element are representative of european electricity mix.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00162-V01.01-EN	1	en	4/9

## Common base of mandatory indicators



### Environmental impact indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Instal- lation	Use	End of life	Benef- fits
GWP-total	kg CO <sub>2</sub> eq.	9.32E-02	6.19E-02	1.88E-03	2.01E-02	0.00E+00	9.31E-03	-
GWP-fossil	kg CO <sub>2</sub> eq.	8.27E-02	6.87E-02	1.88E-03	3.39E-03	0.00E+00	8.69E-03	-
GWP-biogenic	kg CO <sub>2</sub> eq.	1.04E-02	-6.91E-03	1.93E-06	1.67E-02	0.00E+00	6.15E-04	-
GWP-luluc	kg CO <sub>2</sub> eq.	1.36E-04	9.16E-05	6.80E-07	3.91E-05	0.00E+00	4.41E-06	-
GWP-fossil = Global Warming Potential fossil fuels GWP-biogenic = Global Warming Potential biogenic GWP-luluc = Global Warming Potential land use and land use change								
ODP	kg CFC-11 eq.	5.33E-09	4.15E-09	4.52E-10	3.57E-10	0.00E+00	3.68E-10	-
ODP = Depletion potential of the stratospheric ozone layer								
AP	H+ eq.	2.83E-04	2.43E-04	9.54E-06	1.32E-05	0.00E+00	1.74E-05	-
AP = Acidification potential, Accumulated Exceedance								
EP-freshwater	kg P eq.	5.90E-05	5.52E-05	1.18E-07	1.77E-06	0.00E+00	1.91E-06	-
EP-marine	kg N eq.	8.83E-05	6.80E-05	3.27E-06	1.05E-05	0.00E+00	6.48E-06	-
EP-terrestrial	mol N eq.	6.89E-04	5.75E-04	3.58E-05	3.79E-05	0.00E+00	3.94E-05	-
EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment EP-terrestrial = Eutrophication potential, Accumulated Exceedance								
POCP	kg NMVOC eq.	1.97E-04	1.69E-04	1.07E-05	6.26E-06	0.00E+00	1.19E-05	-
POCP = Formation potential of tropo-spheric ozone								
ADP-minerals & metals	kg Sb eq.	2.58E-07	2.13E-07	4.34E-09	1.96E-08	0.00E+00	2.20E-08	-
ADP-fossil	MJ	1.14E+00	9.92E-01	2.95E-02	4.83E-02	0.00E+00	6.68E-02	-
ADP-minerals & metals = Abiotic depletion potential for non-fossil resources ADP-fossil = Abiotic depletion for fossil resources potential								
WDP	m <sup>3</sup> e depr.	1.11E-02	8.82E-03	1.02E-04	1.25E-03	0.00E+00	8.97E-04	-
WDP = Water Deprivation potential								

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00162-V01.01-EN	1	en	5/9

## Common base of mandatory indicators

### Inventory flows indicator – Resource use indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Instal- lation	Use	End of life	Bene- fits
PERE	MJ	3.02E-01	2.85E-01	3.75E-04	8.47E-03	0.00E+00	8.06E-03	-
PERM	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
PERT	MJ	3.02E-01	2.85E-01	3.75E-04	8.47E-03	0.00E+00	8.06E-03	-
PENRE	MJ	1.13E+00	9.90E-01	2.95E-02	4.83E-02	0.00E+00	6.68E-02	-
PENRM	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
PENRT	MJ	1.13E+00	9.90E-01	2.95E-02	4.83E-02	0.00E+00	6.68E-02	-

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials  
 PERM = Use of renewable primary energy resources used as raw materials  
 PERT = Total Use of renewable primary energy resources  
 PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials  
 PENRM = Use of non-renewable primary energy resources used as raw materials  
 PENRT = Total Use of non-renewable primary energy re-sources)

### Inventory flows indicator – Indicators describing the use of secondary materials, water, and energy re-sources

Indicator	Unit	Total	Manu- facturing	Distri- bution	Instal- lation	Use	End of life	Bene- fits
SM	kg	1.43E-02	1.43E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
RSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
NRSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
FW	m <sup>3</sup>	5.65E-04	4.70E-04	3.51E-06	4.76E-05	0.00E+00	4.37E-05	-

SM = Use of secondary material  
 RSF = Use of renewable secondary fuels  
 NRSF = Use of non-renewable secondary fuels  
 FW = Use of net fresh water

### Inventory flows indicator – Waste category indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Instal- lation	Use	End of life	Bene- fits
Hazardous waste disposed	kg	1.15E-06	9.52E-07	7.13E-08	6.34E-08	0.00E+00	6.38E-08	-
Non- hazardous waste disposed	kg	1.50E-02	7.70E-03	2.76E-03	1.71E-03	0.00E+00	2.83E-03	-
Radioactive waste disposed	kg	3.68E-06	3.01E-06	2.00E-07	9.85E-08	0.00E+00	3.70E-07	-

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00162-V01.01-EN	1	en	6/9

## Common base of mandatory indicators

### Inventory flows indicator – Output flow indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Instal- lation	Use	End of life	Bene- fits
Components for re- use	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
Materials for recycling	kg	1.74E-02	1.30E-03	0.00E+00	6.75E-03	0.00E+00	9.35E-03	-
Materials for energy recovery	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-

### Inventory flow indicator – other indicators

Indicator	Unit	Total
Biogenic carbon content of the product	kg of C	0.00E+00
Biogenic carbon content of the associated packaging	kg of C	4.46E-03

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00162-V01.01-EN	1	en	7/9

Registration number:	Drafting Rules:	PCR-ed4-EN-2021 09 06
ABBG-00162-V01.01-EN	Supplemented by:	PSR-0005-ed2-EN-2016 03 29
Verifier accreditation number:	Information and reference documents:	
VH32	www.pep-ecopassport.org	
Date of issue:	Validity period:	5 years
08/2023		


Independent verification of the declaration and data, in compliance with ISO 14025: 2006

Internal  External

The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)

PEP are compliant with XP C08-100-1: 2016 or EN 50693:2019  
The elements of the present PEP cannot be compared with elements from another program

Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"



STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00162-V01.01-EN	1	en	8/9



## Environmental Impact Indicator Glossary

### Impact indicators

Indicator	Description	Unit
Global warming potential (GWP) - total	Indicator of potential global warming caused by emissions to air contributing to the greenhouse effect. The total global warming potential (GWP-total) is the sum of three sub-categories of climate change. GWP-total = GWP-fossil + GWP-biogenic + GWP- land use and land use change	kg CO <sub>2</sub> eq.
Ozone depletion (ODP)	Emissions to air that contribute to the destruction of the stratospheric ozone layer	kg CFC-11 eq.
Acidification of soil and water (A)	Acidification of soils and water caused by the release of certain gases to the atmosphere, such as nitrogen oxides and sulphur oxides	H+ eq.
Eutrophication (E)	Indicator of the contribution to eutrophication of water by the enrichment of the aquatic ecosystem with nutritional elements, e.g. industrial or domestic effluents, agriculture, etc. This indicator is divided to three: freshwater, marine and terrestrial.	kg P eq., kg N eq., mole N eq.
Photochemical ozone creation (POCP)	Indicator of emissions of gases that affect the creation of photochemical ozone in the lower atmosphere (smog) because of the rays of the sun.	kg NMVOC eq.
Depletion of abiotic resources – elements (ADPe)	Indicator of the depletion of natural non-fossil resources	kg Sb eq.
Depletion of abiotic resources – fossil fuels (ADPf)	The use of non-renewable fossil resources in an unsustainable way (e.g. from material to waste)	MJ (lower heating value)
Water Deprivation potential (WDP)	Deprivation-weighted water consumption. Assesses the potential of water deprivation, to either humans or ecosystems, building on the assumption that the less water remaining available per area, the more likely another user will be deprived.	m <sup>3</sup> e depr.

### Resource use indicators

Indicator	Description	Unit
Total use of primary energy	Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) + Total use of renewable primary energy re-sources (primary energy and primary energy resources used as raw materials)	MJ (lower heating value)

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00162-V01.01-EN	1	en	9/9